

CDDIS Data Center Summary for the IVS 2013 Annual Report

Carey Noll

Abstract This report summarizes activities during the year 2013 and future plans of the Crustal Dynamics Data Information System (CDDIS) with respect to the International VLBI Service for Geodesy and Astrometry (IVS). Included in this report are background information about the CDDIS, the computer architecture, staff supporting the system, archive contents, and future plans for the CDDIS within the IVS.

1 General Information

The Crustal Dynamics Data Information System (CDDIS) has supported the archiving and distribution of Very Long Baseline Interferometry (VLBI) data since its inception in 1982. The CDDIS is a central facility providing users access to data and derived products to facilitate scientific investigation. The CDDIS archive of GNSS (GPS, GLONASS, etc.), laser ranging, VLBI, and DORIS data are stored on-line for remote access. Information about the system is available via the Web at the URL <http://cddis.gsfc.nasa.gov>. In addition to the IVS, the CDDIS actively supports other IAG services including the International GNSS Service (IGS), the International Laser Ranging Service (ILRS), the International DORIS Service (IDS), the International Earth Rotation and Reference Frame Service (IERS), and the Global Geodetic Observing System (GGOS). The current and future plans for the system's support of the IVS are discussed below.

NASA Goddard Space Flight Center

CDDIS Data Center

IVS 2013 Annual Report

2 System Description

The CDDIS archive of VLBI data and products is accessible to the public through anonymous ftp.

2.1 Computer Architecture

The CDDIS is operational on a dedicated server, cddis.gsfc.nasa.gov. The system has over 32 Tbytes of on-line disk storage; at this time, over 180 Gbytes are devoted to VLBI activities. The CDDIS is located at NASA GSFC and is accessible to users 24 hours per day, seven days per week.

3 Archive Content

The CDDIS has supported GSFC VLBI and IVS archiving requirements since 1979.

The IVS Data Center content and structure is shown in Table 1 (a figure illustrating the flow of information, data, and products between the various IVS components was presented in the CDDIS submission to the IVS 2000 Annual Report). In brief, dedicated ftp-only accounts have been established on the CDDIS incoming computer, cddisin.gsfc.nasa.gov. Using specified filenames, Operation and Analysis Centers deposit data files and analyzed results to appropriate directories within their ftp-only accounts. Automated archiving routines, developed by GSFC VLBI staff, peruse the directories and move any new data to the appropriate public disk area. These routines migrate the data based on the filename to the appropriate directory

as described in Table 1. Index files in the main sub-directories under `ftp://cddis.gsfc.nasa.gov/pub/vlbi` are updated to reflect data archived in the filesystem. Furthermore, mirroring software was installed on the CDDIS host computer, as well as all other IVS Data Centers, to facilitate equalization of data and product holdings among these Data Centers. At this time, mirroring is performed between the IVS Data Centers located at the CDDIS, the Bundesamt für Kartographie und Geodäsie in Leipzig, and the Observatoire de Paris.

The public file system in Table 1 on the CDDIS computer, accessible via anonymous ftp, consists of a data area, which includes auxiliary files (e.g., experiment schedule information, session logs, etc.) and VLBI data (in both database and NGS card image formats). A products disk area was also established to house analysis products from the individual IVS Analysis Centers as well as the official combined IVS products. A documents disk area contains format, software, and other descriptive files.

4 Data Access

During 2013, nearly 1,200 distinct hosts accessed the CDDIS on a regular basis to retrieve VLBI related files. These users, which include other IVS Data Centers, successfully downloaded over 158 Gbytes of data and products (1.2 M files) from the CDDIS VLBI archive last year.

5 Future Plans

The CDDIS staff will continue to work closely with the IVS Coordinating Center staff to ensure that our system is an active and successful participant in the IVS archiving effort.

The CDDIS staff is currently assessing the system hardware architecture and near-term requirements. Plans are to procure new server hardware in mid-2014 to expand on-line storage and ensure system reliability for the next few years.

Table 1 IVS Data and Product Directory Structure

Directory	Description
Data Directories	
vlbi/ivsdata/db/yyyy	VLBI database files for year yyyy
vlbi/ivsdata/ngs/yyyy	VLBI data files in NGS card image format for year yyyy
vlbi/ivsdata/aux/yyyy/sssss	Auxiliary files for year yyyy and session sssss; these files include: log files, wx files, cable files, schedule files, correlator notes
Product Directories	
vlbi/ivsproducts/crf	CRF solutions
vlbi/ivsproducts/eopi	EOP-I solutions
vlbi/ivsproducts/eops	EOP-S solutions
vlbi/ivsproducts/daily_sinex	Daily SINEX solutions
vlbi/ivsproducts/int_sinex	Intensive SINEX solutions
vlbi/ivsproducts/trf	TRF solutions
vlbi/ivsproducts/trop	Troposphere solutions
Project Directories	
vlbi/ivs-iers	IVS contributions to the IERS
vlbi/ivs-pilotbl	IVS Analysis Center pilot project (baseline)
Other Directories	
vlbi/ivscontrol	IVS control files (master schedule, etc.)
vlbi/ivsdocuments	IVS document files (solution descriptions, etc.)
vlbi/raw	Raw VLBI data
vlbi/dserver	dserver software and incoming files